



**IX. HAZARD IDENTIFICATION**

**Atmospheric Hazards**

- Oxygen deficiency
- Oxygen enrichment
- Flammable substances
- Toxic gases, vapors, liquids

**Configuration Hazards**

- Interior shape or slope
- Low overhead clearance
- Drop offs
- Complex layout
- Structural integrity
- Compartmentalized
- Elevated work surfaces
- Sharp surfaces
- Inwardly converging walls
- Maneuverability

**Potential Energy Sources**

- Electrical
- Hydraulic
- Pneumatic
- Mechanical
- Steam
- Piping systems
- Spring actuated
- Gravity
- Others: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Content Hazards**

- Decomposing organic matter
- Shifting content
- Engulfment
- Dust
- Inerting agents (Nitrogen, Argon, Carbon Dioxide)
- Content fill or removal
- Hazardous material

**Environmental Hazards**

- Slippery surfaces
- Noise
- Vibration
- Extreme temperatures within space
- Damp / wet conditions
- Snakes / rodents / insects
- Falling objects / suspended loads
- Fire suppression systems
- Poor illumination/visibility
- Asbestos
- Others: \_\_\_\_\_

**External Hazards**

- Traffic
- Machinery / equipment
- Work in neighboring compartments
- Terrain
- Weather
- Processes
- Others: \_\_\_\_\_

**XX. SPECIAL HAZARDS / REQUIREMENTS / NOTES**

---



---



---



---



---

**\*NOTE\*** - Work activities that may result in the use of chemicals which are not identified on this form being introduced into the confined space, hot work performed within the confined space, or any other activity resulting in hazard changes, will require that the space be re-evaluated. These must be authorized and approved for use within the space by the Confined Space Entry Program Administrator, prior to entry.

**EVALUATORS**

		/ /
(NAME: print legibly)	(TITLE)	(DATE: dd/mm/yy)
		/ /
(NAME: print legibly)	(TITLE)	(DATE: dd/mm/yy)
		/ /
(NAME: print legibly)	(TITLE)	(DATE: dd/mm/yy)